

# **BOTHALIA**

**VOLUME 41**

**INDEX**



ISSN 0006 8241

2011

Digitized by the Internet Archive  
in 2016

<https://archive.org/details/bothaliavolume4141unse>

# BOTHALIA

A JOURNAL OF BOTANICAL RESEARCH

**Volume 41**

Scientific Editors: O.A. Leistner, G. Germishuizen  
Technical Editor: B.A. Momberg



2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001

ISSN 0006 8241

2011

# New combinations, names, sections, series, species, statuses, subgenera and subspecies in *Bothalia* 41 (2011)

- Adenogramma natans* J.C.Manning & Goldblatt, sp. nov., 191  
*Albuca gariepensis* J.C.Manning & Goldblatt sp. nov., 315  
*Albuca lebaensis* (Van Jaarsv.) J.C.Manning & Goldblatt, comb. nov., 297  
*Ammocharis deserticola* Snijman & Kolberg, sp. nov., 308  
*Antimima paripetala* (L.Bolus) Klak, comb.nov., 293  
*Bracteolatus* J.C.Manning & Goldblatt, ser. nov., 254  
*Brevibracteae* Goldblatt & J.C.Manning, sect. nov., 246  
*Cheilanthes deltoidea* Kunze subsp. **silicicola** Kloppe & A.E.van Wyk, subsp. nov., 204  
*Combretum psidioides* Welw. subsp. **grandifolium** (F.Hoffm.) Jordaan, stat. nov., 147  
*Combretum sylvicola* O.Maurin, comb. et nom. nov., 168  
*Cyperus atriceps* (Kük.) C.Archer & Goetgh., comb. & stat. nov., 300  
*Cyperus austro-africanus* C.Archer & Goetgh., nom. nov., 300  
*Cyperus decurvatus* (C.B.Clarke) C.Archer & Goetgh., comb. & stat. nov., 300  
*Cyperus palmatus* (Lye) C.Archer & Goetgh., comb. & stat. nov., 300  
*Cyperus uitenhagensis* (Steud.) C.Archer & Goetgh., comb. nov., 301  
*Ferraria flava* Goldblatt & J.C.Manning, sp. nov., 31  
*Ferraria macrochlamys* subsp. **kamiesbergensis** (M.P.de Vos) Goldblatt & J.C.Manning, comb. et stat. nov., 36  
*Ferraria macrochlamys* subsp. **serpentina** Goldblatt & J.C.Manning, subsp. nov., 37  
*Ferraria ornata* Goldblatt & J.C.Manning, sp. nov., 24  
*Ferraria parva* Goldblatt & J.C.Manning, sp. nov., 26  
*Ferraria spithamea* (Baker) Goldblatt & J.C.Manning, comb. nov., 15  
*Gasteria croucheri* (Hook.f) Baker subsp. **pondoensis** N.R.Crouch, Gideon F.Sin. & D.G.A.Styles, subsp. nov., 183  
*Gladiolus diluvialis* Goldblatt & J.C.Manning, nom. nov., 324  
*Ixia alata* Goldblatt & J.C.Manning, sp. nov., 121  
*Ixia cedar montana* Goldblatt & J.C.Manning, sp. nov., 126  
*Ixia dolichosiphon* Goldblatt & J.C.Manning, sp. nov., 126  
*Ixia ecklonii* Goldblatt & J.C.Manning, sp. nov., 118  
*Ixia linderi* Goldblatt & J.C.Manning, sp. nov., 97  
*Ixia linearifolia* Goldblatt & J.C.Manning, sp. nov., 121  
*Ixia longituba* N.E.Br. subsp. **macrosiphon** Goldblatt & J.C.Manning, subsp. nov., 95  
*Ixia monticola* Goldblatt & J.C.Manning, sp. nov., 115  
*Ixia parva* Goldblatt & J.C.Manning, nom. nov., 116  
*Ixia pavonia* Goldblatt & J.C.Manning, sp. nov., 120  
*Ixia ramulosa* (G.J.Lewis) Goldblatt & J.C.Manning, stat. nov., 117  
*Ixia recondita* Goldblatt & J.C.Manning, sp. nov., 103  
*Ixia saundersiana* Goldblatt & J.C.Manning, sp. nov., 111  
*Ixia stenophylla* Goldblatt & J.C.Manning, nom. et stat. nov., 129  
*Lachnospermum neglectum* Schltr. ex J.C.Manning & Goldblatt, sp. nov., 304  
*Metathelypteris burrowsiorum* N.R.Crouch, sp. nov., 193  
*Octopoma nanum* (L.Bolus) Klak, comb. nov., 293  
*Ornithoglossum pulchrum* Snijman, B.Nord. & Mannheimer, sp. nov., 231  
*Pilularia dracomontana* N.R.Crouch & J.Wesley-Smith, sp. nov., 201  
*Rhynchosia coddii* Germish., sp. nov., 319  
*Romulea pilosa* J.C.Manning & Goldblatt, sp. nov., 269  
*Romulea quartzicola* J.C.Manning & Goldblatt, sp. nov., 272  
*Romulea rosea* var. **muirii** (N.E.Br.) J.C.Manning & Goldblatt, comb. et stat. nov., 275  
Subgen. *Glutinosae* (M.P.de Vos) Goldblatt & J.C.Manning, subgen. & comb. nov., 11  
*Thereianthus bulbiferus* Goldblatt & J.C.Manning, sp. nov., 254  
*Thereianthus elandsmontanus* Goldblatt & J.C.Manning, sp. nov., 263  
*Thereianthus intermedius* J.C.Manning & Goldblatt, nom. et stat. nov., 247  
*Tritonia cedar montana* Goldblatt & J.C.Manning, sp. nov., 171  
*Tritonia linearifolia* Goldblatt & J.C.Manning, sp. nov., 173  
*Wahlenbergia suffruticosa* Cupido, sp. nov., 179  
*Xenoscapa grandiflora* Goldblatt & J.C.Manning, sp. nov., 284  
*Xiphotheca rosmarinifolia* A.L.Schutte, sp. nov., 298

# CONTENTS

	Page	Date
No. 1	1–230	May 2011
No. 2	231–388	Oct. 2011

ARCHER, C. & GOETGHEBEUR, P. New names and new combinations in <i>Cyperus</i> for southern Africa (Cyperaceae) . . . . .	300
BESTER, S.P. & BERRUTI, S.M. First records of <i>Orbea cooperi</i> in Gauteng and Mpumalanga Provinces, FSA region (Apocynaceae–Asclepiadoideae–Ceropegieae) . . . . .	295
BESTER, S.P. & JOUBERT, L. Distribution of <i>Cryptolepis delagoensis</i> (Periplocoideae–Cryptolepideae), a subcontinental southern African endemic and selection of a neotype (Apocynaceae) . . . . .	199
CROUCH, N.R. <i>Metathelypteris burrowsiorum</i> , a new species from Swaziland and a first genus record for southern Africa (Pteridophyta–Thelypteridaceae) . . . . .	193
CROUCH, N.R. & BURROWS, J.E. New pteridophyte records for the flora of Swaziland (Pteridophyta) . . . . .	181
CROUCH, N.R. & SMITH, G.F. <i>Furcraea foetida</i> : an invading alien in South Africa (Agavaceae) . . . . .	196
CROUCH, N.R., SMITH, G.F. & STYLES, D.G.A. <i>Gasteria croucheri</i> subsp. <i>pondoensis</i> , a new cremnophyte from Pondoland, South Africa (Asphodelaceae: Alooideae) . . . . .	183
CROUCH, N.R. & WESLEY-SMITH, J. <i>Pilularia dracomontana</i> , a new species of pillwort from the KwaZulu-Natal Drakensberg, South Africa (Pteridophyta–Marsileaceae) . . . . .	201
CUPIDO, C.N. A new species of <i>Wahlenbergia</i> from Western Cape, South Africa (Campanulaceae) . . . . .	178
DE SOUSA, F., FIGUEIREDO, E. & SMITH, G.F. A new and an overlooked record of <i>Cyphostemma</i> (Planch.) Alston in Angola (Vitaceae) . . . . .	294
FIGUEIREDO, E., PAIVA, J., STÉVART, T., OLIVEIRA, F. & SMITH, G.F. Annotated catalogue of the flowering plants of São Tomé and Príncipe . . . . .	41
GERMISHUIZEN, G. A new species of <i>Rhynchosia</i> from the northern provinces of South Africa (Fabaceae) . . . . .	319
GOLDBLATT, P. & MANNING, J.C. Systematics and biology of the African genus <i>Ferraria</i> (Iridaceae: Irideae) . . . . .	1
GOLDBLATT, P. & MANNING, J.C. Systematics of the southern African genus <i>Ixia</i> (Iridaceae). 3. Sections <i>Hyalis</i> and <i>Morphixia</i> . . . . .	83
HERMAN, P.P.J. & SWELANKOMO, N. <i>Vernonia</i> (tribe Vernonieae) and related genera in southern Africa: updates and corrections (Asteraceae) . . . . .	176
JORDAAN, M., VAN WYK, A.E. & MAURIN, O. A conspectus of <i>Combretum</i> (Combretaceae) in southern Africa, with taxonomic and nomenclatural notes on species and sections . . . . .	135
JORDAAN, M., VAN WYK, A.E. & MAURIN, O. Generic status of <i>Quisqualis</i> (Combretaceae), with notes on the taxonomy and distribution of <i>Q. parviflora</i> . . . . .	161
KLAK, C. New combinations in <i>Antimima</i> and <i>Octopoma</i> (Aizoaceae: Ruschioideae) . . . . .	292
KLOPPER, A.W. & KLOPPER, R.R. <i>Selaginella nivea</i> , a new lycophyte record for South Africa, with notes on its habitat (Lycopodiophyta: Selaginellaceae) . . . . .	321
KLOPPER, R.R. & VAN WYK, A.E. A new subspecies of <i>Cheilanthes deltoidea</i> from Gauteng and Limpopo, South Africa (Pteridophyta–Sinopteridaceae) . . . . .	204
KOEKEMOER, M. The true identity of <i>Oxylaena acicularis</i> (Asteraceae) . . . . .	187
KOEKEMOER, M. <i>Bryomorpha</i> and <i>Dolichothrix</i> (Gnaphalieae–Relhaniinae): taxonomy and nomenclature (Asteraceae) . . . . .	324
LAMPRECHT, A.J.H., CILLIERS, S.S., GÖTZE, A.R. & DU TOIT, M.J. Phytosociological description of norite koppies in the Rustenburg area, North-West Province and refinement of the distribution of the Norite Koppies Bushveld on the national vegetation classification map of South Africa . . . . .	327
LUBBE, C.S., SIEBERT, S.J. & CILLIERS, S.S. Floristic analysis of domestic gardens in the Tlokwe City Municipality, South Africa . . . . .	351
MANNING, J.C. & GOLDBLATT, P. <i>Tritonia cedarumontana</i> and <i>T. linearifolia</i> (Crocoideae), two new species from the Cape Floristic Region; <i>T. lineata</i> var. <i>parvifolia</i> included in <i>T. gladiolaris</i> ; and the correct author citation for <i>T. strictifolia</i> (Iridaceae) . . . . .	171
MANNING, J.C. & GOLDBLATT, P. Taxonomic revision of the genus <i>Thereianthus</i> (Iridaceae: Crocoideae) . . . . .	239
MANNING, J.C. & GOLDBLATT, P. Review of the genus <i>Xenoscapa</i> (Iridaceae: Crocoideae), including <i>X. grandiflora</i> , a new species from southern Namibia . . . . .	283

MANNING, J.C. & GOLDBLATT, P. <i>Ornithogalum lebaense</i> transferred to <i>Albuca</i> (Hyacinthaceae) . . . . .	297
MANNING, J.C. & GOLDBLATT, P. <i>Lachnospermum neglectum</i> (Asteraceae: Asteroideae: Gnaphalieae), a new and overlooked species from the Worcester Valley, Western Cape . . . . .	304
MANNING, J.C. & GOLDBLATT, P. <i>Albuca gariepensis</i> (Hyacinthaceae: Ornithogaloideae), a new species of <i>A.</i> subgen. <i>Namibiogalum</i> from Gordonia, South Africa, and <i>A. prasina</i> transferred to <i>Ornithogalum</i> . . . . .	314
MANNING, J.C. & GOLDBLATT, P. <i>Gladiolus diluvialis</i> (Iridaceae: Crocoideae), a replacement name for the illegitimate homonym <i>G. halophilus</i> . . . . .	324
MANNING, J.C., GOLDBLATT, P. & FOREST, F. <i>Adenogramma natans</i> , a remarkable new aquatic species from Western Cape, South Africa (Molluginaceae) . . . . .	189
MANNING, J.C., GOLDBLATT, P. & HARROWER, A.D. <i>Romulea pilosa</i> and <i>R. quartzicola</i> (Iridaceae: Crocoideae), two new species from the southern African winter rainfall region, with nomenclatural corrections including new names for <i>R. amoena</i> , <i>R. neglecta</i> and <i>R. rosea</i> var. <i>reflexa</i> . . . . .	269
MOTEETEE, A. & VAN WYK, B-E. The medical ethnobotany of Lesotho: a review . . . . .	209
MUCINA, L. & SNIJMAN, D.A. <i>Maireana brevifolia</i> (Chenopodiaceae: Camphorosmeae), a new naturalized alien plant species in South Africa . . . . .	235
SCHUTTE-VLOK, A.L. A new species of <i>Xiphotheca</i> from the Western Cape, South Africa (Fabaceae) . . . . .	298
SIEBERT, S.J., SIEBERT, F. & DU TOIT, M.J. The extended occurrence of Maputaland Woody Grassland further south in KwaZulu-Natal, South Africa . . . . .	341
SMITH, G.F. Tribute to Gerrit Germishuizen, editor of <i>Bothalia</i> . . . . .	229
SMITH, G.F. Tribute to Beverley Momberg, technical editor in the publications section of the South African National Biodiversity Institute . . . . .	363
SMITH, G.F. & FIGUEIREDO, E. Obituary: Franz Sebastian Müller (1913–2010) . . . . .	365
SNIJMAN, D.A. & KOLBERG, H. <i>Ammocharis deserticola</i> (Amaryllidaceae: Amaryllideae), a new species from Namibia and a key to species of the genus . . . . .	308
SNIJMAN, D.A., NORDENSTAM, B. & MANNHEIMER, C. <i>Ornithoglossum pulchrum</i> (Colchicaceae: Colchiceae), a new species from southern Namibia . . . . .	231
STEENKAMP, Y. Compiler. South African National Biodiversity Institute: publications, 1 January 2010 to 31 December 2010 . . . . .	369
STEYN, H.M. <i>Anticharis juncea</i> , an overlooked record for South Africa, with notes on its type localities and flower morphology (Scrophulariaceae) . . . . .	301
STRUWIG, M., SIEBERT, S.J. & KLAASSEN, E.S. Notes on <i>Commicarpus</i> in southern Africa, including a new record for Namibia (Nyctaginaceae) . . . . .	289
SWELANKOMO, N. FSA contributions 19: Asteraceae: Anthemideae: <i>Eumorphia</i> . . . . .	277
VAN ROOY, J. New and interesting records of mosses in the <i>Flora of southern Africa</i> area: 5. New provincial records (Bryophyta) . . . . .	188
VAN ROOY, J., PHEPHU, N. & PEROLD, S.M. New liverwort distribution records in South Africa (Marchantiophyta) . . . . .	185
VOSA, C.G., SIEBERT, S.J. & VAN WYK, A.E. Micromorphology and cytology of <i>Prototulbaghia siebertii</i> , with notes on its taxonomic significance (Alliaceae) . . . . .	311

## INDEX

- Acidanthera capensis* (Houtt.) Benth. ex Baker, 99  
*Adenogramma natans* J.C.Manning & Goldblatt, 191  
 Africa, 161  
   South, 178, 183, 185, 189, 196, 201, 204, 235, 298, 301, 314, 319, 321, 327, 341, 351  
   southern, 1, 83, 135, 161, 176, 193, 199, 239, 269, 283, 289, 300  
   tropical, 1  
 Agavaceae, 196, 351  
*Agave foetida* L., 197  
*Agretia pallidiflavens* Eckl., 106  
 Aizoaceae, 292  
 Albuca  
   *gariensis* J.C.Manning & Goldblatt, 315  
   *lebaensis* (Van Jaarsv.) J.C.Manning & Goldblatt, 297  
   *prasina* (Ker Gawl.) J.C.Manning & Goldblatt, 318  
   subgen. *Namibiogalum* (U.Müll.-Doblies & D.Müll.-Doblies) J.C.Manning & Goldblatt, 315  
 alien  
   invader, 196  
   plants, 351  
 Alliaceae, 311  
*Allosorus deltoideus* (Kunze) Kuntze, 206  
 Alooideae, subfam., Asphodelaceae, 183  
 Amaryllidaceae, 308  
 Amaryllideae, tribe, Amaryllidaceae, 308  
*Ammocharis deserticola* Snijman & Kolberg, 308  
*Anaglypha*  
   *acicularis* Benth., 187  
   *aspera* DC., 187  
 Angola, 294  
*Angustimarginata* Engl. & Diels, sect., Combretum Loeffl., 137  
*Angustisiphon*, ser., sect. *Hyalis*, *Ixia* L., 104  
*Anomatheca*  
   *calamifolia* Klatt, 252  
   *fistulosa* (Spreng. ex Klatt) Goldblatt, 286  
   sect. *Xenoscapa* Goldblatt, 284  
 Anthemoideae, tribe, subfam. Asteroideae, Asteraceae, 277  
*Anticharis juncea* L.Bolus, 300, 303  
 Antimima  
   *crassifolia* (L.Bolus) H.E.K.Hartmann, 293  
   *hexamera* (L.Bolus) Klak, 293  
   *paripetala* (L.Bolus) Klak, 293  
*Aphelexis ericoides* (Lam.) Sweet, 325  
 Apocynaceae, 199, 295  
   aquatic species, 189  
 Archer, C. & Goetghebeur, P. New names and new combinations in *Cyperus* for southern Africa (Cyperaceae), 300  
*Argyrocome ericoides* (Lam.) Lam., 325  
*Argyrodendron petersii* Klotzsch, 152  
 Asclepiadoideae, subfam., Apocynaceae, 295  
 Asphodelaceae, 183  
 Asteraceae, 176, 187, 277, 304, 324, 351  
 Asteroideae, subfam., Asteraceae, 304  
 Australia, 235  
*Babiana longiflora* (P.J.Bergius) Steud., 99  
*Beilia* Eckl., 245  
*Beilia* Eckl. ex Kuntze, 245  
   *spicata* (L.) ex Kuntze, 259  
   var. *brevifolia* Kuntze, 266  
   var. *triticea* (Thunb.) Kuntze, 257  
   *triticea* (Thunb.) Eckl., 257  
 Berruti, S.M., 295  
 Bester, S.P. & Berruti, S.M. First records of *Orbea cooperi* in Gauteng and Mpumalanga Provinces, FSA region (Apocynaceae–Asclepiadoideae–Ceropegieae), 295  
 Bester, S.P. & Joubert, L. Distribution of *Cryptolepis delagoensis* (Periplocoideae–Cryptolepideae), a subcontinental southern African endemic and selection of a neotype (Apocynaceae), 199  
*Boerhavia*  
   *helenae* Roem. & Schult., 290  
   *stellata* Bojer, 290  
   *stellata* Wight, 290  
*Bracteolatus* J.C.Manning & Goldblatt, ser., sect. *Ther-eianthus*, 254  
 Braun-Blanquet method, 327  
 Brevibracteae Goldblatt & J.C.Manning, sect., *Ther-eianthus* G.J.Lewis, 246  
*Breviramea* Engl. & Diels, sect., Combretum Loeffl., 151  
*Brevitubae*, ser., sect. *Morphixia*, *Ixia* L., 119  
*Bryomorphe* Harv., 325  
   *aretioides* (Turcz.) Druce, 325  
   *lycopodioides* (Sch.Bip.) Levyns, 325  
   *zeyheri* Harv., 325  
 Bryophyta, 188  
*Bulbocodium*  
   *pubicum* (Sol. ex Ker Gawl.) Kuntze, 274  
   *speciosum* (Ker Gawl.) Kuntze, 276  
 Burrows, J.E., 181  
*Cacoucia* (Aubl.) Exell & Stace, subgen., Combretum Loeffl., 152  
*Cacoucia* Aubl., 152  
 Campanulaceae, 178  
*Campestris* Engl. & Diels, sect., Combretum Loeffl., 151  
 Camphorosmeae, tribe, Chenopodiaceae, 235  
*Campylogyne* Hemsley, 161  
 Cape  
   Floristic Region, 171  
   Western, 178, 189, 298, 304  
 Capillares, ser., sect. *Morphixia*, *Ixia* L., 131  
 Ceropegieae, tribe, Asclepiadoideae, Apocynaceae, 295  
*Cheilanthes deltoidea* Kunze, 204  
   subsp. *silicicola* Klopper & A.E.van Wyk, 204  
   subsp. *deltoidea*, 206  
 Chenopodiaceae, 235  
*Ciliatipetala* Engl. & Diels, sect., Combretum Loeffl., 143  
 Cilliers, S.S., 327, 351  
*Cissus*  
   *amboensis* Schinz, 294  
   *congesta* (Baker) Planch., 294  
   *fleckii* Schinz, 294  
   *wittei* Staner, 294  
   classification, 83, 161  
   coastal dunes, 341



- Codonocroton triphyllum* E.Mey., 153  
 Colchicaceae, 231  
 Colchicaceae, tribe, Colchicaceae, 231  
 comb. nov., 11, 15, 36, 161, 168, 275, 293, 297, 300, 301  
 Combretaceae, 135, 161  
*Combretum* Loeft., 135, 161  
   *adenogonium* Steud. ex A.Rich., 143  
   *albopunctatum* Suess., 145  
   *angustilanceolatum* Engl., 150  
   *antunesii* Engl. & Diels, 142  
   *apiculatum* Sond.  
     subsp. *apiculatum*, 145  
     subsp. *leutweinii* (Schinz) Exell, 145  
     var. *parvifolium* Baker f., 145  
   *arengense* Sim, 146  
   *bajonense* Sim, 149  
   *bracteosum* (Hochst.) Brandis, 153  
   *buchananii* Engl. & Diels, 145  
   *burtii* Exell, 150  
   *caffrum* (Eckl. & Zeyh.) Kuntze, 139  
   *calocarpum* Gilg ex Dinter, 142  
   *cataractarum* Diels, 153  
   *celastroides* Welw. ex M.A.Lawson, 148  
     subsp. *orientale* Exell, 148  
   *chlorocarpum* Exell, 142  
   *collinum* Fresen.  
     subsp. *gazense* (Swynn. & Baker f.) Okafor, 149  
     subsp. *ondongense* (Engl. & Diels) Okafor, 149  
     subsp. *suluense* (Engl. & Diels) Okafor, 150  
     subsp. *taborense* (Engl.) Okafor, 150  
   *coriaceum* Schinz, 149  
   *dekindtianum* Engl., 146  
   *detinens* Dinter, 153  
   *dinteri* Schinz, 147  
   *dregeanum* C.Presl, 139  
   *edwardsii* Exell, 145  
   *eilkeranum* Schinz, 151  
   *elaeagnoides* Klotzsch, 152  
   *ellipticum* Sim, 146  
   *engleri* Schinz, 142  
   *erythrophyllum* (Burch.) Sond., 139  
     var. *obscurum* Van Heurck & Müll.Arg., 140  
   *eylesii* Exell, 149  
   *ferrugineum* A.Rich., 146  
   *fragrans* F.Hoffm., 143  
   *galpinii* Engl. & Diels, 146  
   *gazense* Swynn. & Baker f., 149  
   *ghasalense* Engl. & Diels, 143  
   *glomeruliflorum* Sond., 139  
     var. *obscurum* (Van Heurck & Müll.Arg.) Burt Davy, 140  
     var. *riparium* (Sond.) Burt Davy, 139  
   *glutinosum* sensu Wood, 145  
   *goetzenianum* Diels, 150  
   *grandifolium* F.Hoffm., 147  
   *griseiflorum* S.Moore, 150  
   *guangense* Engl. & Diels, 153  
   *gueinzii* Sond., 146  
     subsp. *splendeus* (Engl.) Exell ex Brenan, 146  
     var. *holosericeum* (Sond.) Exell ex Rendle, 146  
   *hereroense* Schinz, 151  
     subsp. *hereroense*, 151  
     var. *villosissimum* Engl. & Diels, 151  
   *holosericeum* Sond., 146  
   *homblei* De Wild., 148  
   *imberbe* Wawra, 152  
     var. *petersii* (Klotzsch) Engl. & Diels, 152  
     var. *truncatum* (Welw. ex M.A.Lawson) Burt Davy, 152  
   *jumodii* Dümmer, 150  
   *kraussii* Hochst., 140  
   *kwebense* N.E.Br., 145  
   *leutweinii* Schinz, 145  
   *lomuense* Sim, 154  
   *lopolense* Engl. & Diels, 142  
   *lucidum* E.Mey. ex Drège, 140  
   *lydenburgianum* Engl. & Diels, 140  
   *makindense* Gilg ex Engl., 150  
   *mechowianum* O.Hoffm.  
     subsp. *gazense* (Swynn. & Baker f.) Duvign., 149  
     subsp. *taborense* (Engl.) Duvign., 150  
   *microphyllum* Klotzsch, 154  
   *millerianum* Burt Davy, 150  
   *minutiflorum* Exell, 148  
   *mkuzense* J.D.Carr & Retief, 141  
   *moggii* Exell, 146  
   *molle* R.Br. ex G.Don, 146  
   *mossambicense* (Klotzsch) Engl., 153  
   *multispicatum* Engl. & Diels, 143  
   *myrtillifolium* Engl., 142  
   *nelsonii* Dümmer, 140  
   *oblongum* F.Hoffm., 142  
   *obtusatum* Engl. & Diels, 146  
   *odontopetalum* Engl. & Diels, 142  
   *omahekae* Gilg & Dinter ex Engl., 147  
   *ondongense* Engl. & Diels, 150  
   *oxystachyum* Welw. ex M.A.Lawson, 155  
   *padoides* Engl. & Diels, 148  
   *paniculatum* Vent., 154  
     subsp. *microphyllum* (Klotzsch) Wickens, 154  
   *parviflorum* Eichl., 168  
   *parviflorum* Rchb., 168  
   *parvifolium* Dinter, 142  
   *patelliforme* Engl. & Diels, 148  
   *patelliforme* Engl. & Diels p.p. quoad specim., 148  
   *petersii* (Klotzsch) Engl., 152  
   *petrophilum* Retief, 146  
   *phillipsii* Dümmer, 153  
   *platypetalum* Welw. ex M.A.Lawson subsp. *platypetalum*, 155  
   *porphyrolepis* Engl. & Diels, 151  
   *primigenum* Marloth ex Engl., 152  
   *prunifolium* Engl. & Diels, 152  
   *psammophilum* Diels, 150  
   *psidioides* Welw., 147  
     subsp. *dinteri* (Schinz) Exell, 147  
     subsp. *grandifolium* (F.Hoffm.) Jordaan, 147  
     subsp. *psidioides*, 147  
     subsp. *psilophyllum* Wickens, 147  
   *quirirensis* Engl. & Gilg, 147  
   *ramosissimum* Engl. & Diels, 154  
   *rautamenii* Engl. & Diels, 151



- rhodesicum* Baker f., 151  
*riparium* Sond., 139  
*salicifolium* E.Mey. ex Hook., 139  
*sambesiacum* Engl. & Diels, 151  
*schinzii* Engl. ex Engl. & Diels, 150  
*sonderi* Gerrard ex Sond., 139  
 sp. 2, 145  
*splendens* Engl., 146  
*stevensonii* Exell, 152  
 subgen. *Combretum*, 137  
*suluense* Engl. & Diels, 150  
*sylicola* O.Maurin, 168  
*taborense* Engl., 150  
*tenuipes* Engl. & Diels, 148  
*ternifolium* Engl. & Diels, 143  
*tinctorum* Welw. ex M.A.Lawson, 142  
*transvaalense* Schinz, 151  
     var. *bolusii* Dümmer, 151  
     var. *villosissimum* (Engl. & Diels) Burt Davy, 151  
*trichopetalum* Engl., 153  
*truncatum* Welw. ex M.A.Lawson, 152  
*ukambense* Engl., 153  
*undulatum* Engl. & Diels, 143  
*velutinum* DC., 146  
*vendae* A.E.van Wyk, 140  
*villosissimum* (Engl. & Diels) Engl., 151  
*wattii* Exell, 155  
*welwitschii* Engl. & Diels, 146  
*woodii* Dümmer, 141  
*zastrowii* Dinter, 155  
*zeyheri* Sond., 141
- Commicarpus**  
*helenae* (Roem. & Schult.) Meikle, 290  
     var. *helenae*, 290  
*stellatus* (Wight) Berhaut, 290  
*verticillatus* sensu Baker & Wright, 290
- conservation, 327  
 cremnophyte, 183  
 Crocoideae, subfam., Iridaceae, 171, 239, 269, 283, 324  
*Crocoshmia*  
     *rochensis* (Ker Gawl.) Klatt, 95  
     *tenuiflora* (Ker Gawl.) Klatt, 100
- Dichone* (Salisb. ex Baker) Goldblatt & J.C.Manning, sect., *Ixia* L., 85
- Crouch, N.R. *Metathelypteris burrowsiorum*, a new species from Swaziland and a first genus record for southern Africa (Pteridophyta–Thelypteridaceae), 193
- Crouch, N.R. & Burrows, J.E. New pteridophyte records for the flora of Swaziland (Pteridophyta), 181
- Crouch, N.R. & Smith, G.F. *Furcraea foetida*: an invading alien in South Africa (Agavaceae), 196
- Crouch, N.R., Smith, G.F. & Styles, D.G.A. *Gasteria croucheri* subsp. *pondoensis*, a new cremnophyte from Pondoland, South Africa (Asphodelaceae: Aloioideae), 183
- Crouch, N.R. & Wesley-Smith, J. *Pilularia dracomontana*, a new species of pillwort from the KwaZulu-Natal Drakensberg, South Africa (Pteridophyta–Marsileaceae), 201
- Cryptolepideae, tribe, Apocynaceae, 199
- Cryptolepis delagoensis Schltr., 200
- Cupido, C.N. A new species of *Wahlenbergia* from Western Cape, South Africa (Campanulaceae), 178
- Cyperaceae, 300
- Cyperus L., 300  
     *aristatus* Rottb. var. *atriceps* Kük., 300  
     *atriceps* (Kük.) C.Archer & Goetgh., 300  
     *austro-africanus* C.Archer & Goetgh., 300  
     *capensis* (Steud.) Engl. var. *pseudomarlothii* Kük., 301  
         forma *globospica* (C.B.Clarke) Kük., 301  
     *contractus* Steud., 300  
     *decurvatus* (C.B.Clarke) C.Archer & Goetgh., 300  
     *dregeanus* Kunth, 300  
     *fulgens* C.B.Clarke var. *contractus* Kük., 300  
     *indecorus* Kunth  
         var. *decurvatus* (C.B.Clarke) Kük., 300  
         var. *dinteri* Kük., 300  
     *palmaris* (Lye) C.Archer & Goetgh., 300  
     *palmaris* Vorster, 300  
     *pulcher* Thunb., 300  
     *rehmannianus* (C.B.Clarke) Kuntze, 300  
     *uitenhagensis* (Steud.) C.Archer & Goetgh., 301  
     *usitatus* Burch. subsp. *palmaris* Lye, 300
- Cyphostemma  
     *congestum* (Baker) Desc., 294  
     *congestum* (Baker) Desc. ex Wild & R.B.Drumm., 294  
     *fleckii* (Schinz) Desc., 294  
     *wittei* (Staner) Wild & R.B.Drumm., 294
- cytology, 311
- De Sousa, F., Figueiredo, E. & Smith, G.F. A new and an overlooked record of *Cyphostemma* in Angola (Vitaceae), 294
- distribution, 199, 235  
 diversity, 41, 351
- Dodonaea*  
     *caffra* Eckl. & Zeyh., 139  
     *conglomerata* Eckl. & Zeyh., 139
- Dolichothrix Hilliard & B.L.Burt, 325  
     *ericoides* (Lam.) Hilliard & B.L.Burt, 325
- Doryopteris deltoidea* (Kunze) Diels, 206  
     var. *laxa* Sim, 206
- Drakensberg, 201
- Du Toit, M.J., 327, 341
- editor of *Bothalia*, 229, 363
- Elaeagnoides* Engl. & Diels, sect., *Campestris* Engl. & Diels, 151
- endemic, 199  
 endemism, 341
- ethnobotany, medical, 209
- Eumorphia DC., 277  
     *corymbosa* E.Phillips, 277  
     *davyi* Bohus, 279  
     *dregeana* DC., 280  
     *prostrata* Bolus, 279  
     *sericea* J.M.Wood & M.S.Evans, 281  
         subsp. *sericea*, 281  
         subsp. *robustior* Hilliard & B.L.Burt, 281  
     *swaziensis* Compton, 278
- Fabaceae, 298, 319
- fam.
- Agavaceae, 196, 351

fam. (cont.)

- Aizoaceae, 292  
 Alliaceae, 311  
 Amaryllidaceae, 308  
 Apocynaceae, 199, 295  
 Asphodelaceae, 183  
 Asteraceae, 176, 187, 277, 304, 324, 351  
 Campanulaceae, 178  
 Chenopodiaceae, 235  
 Colchicaceae, 231  
 Cyperaceae, 300  
 Fabaceae, 298, 319  
 Hyacinthaceae, 297, 314  
 Iridaceae, 1, 83, 171, 239, 269, 283, 324  
 Molluginaceae, 189  
 Nyctaginaceae, 289  
 Scrophulariaceae, 301  
 Thelypteridaceae, Pteridophyta, 193  
 Vitaceae, 294
- Ferraria* *Burm. ex Mill.*, 1, 9  
*andongensis* (Baker) Rendle, 14  
*antherosa* Ker Gawl., 29  
*becluanica* Baker, 11  
*brevifolia* G.J.Lewis, 37  
*candelabrum* (Baker) Rendle, 14  
*crispa* *Burm.*, 17  
  subsp. *nortieri* M.P.de Vos, 17  
*crispulata* L.Bolus, 35  
*densepunctulata* M.P.de Vos, 22  
*divaricata* Sweet, 27  
  subsp. *arenosa* M.P.de Vos, 28  
  ?subsp. *aurea* M.P.de Vos, 31  
  subsp. *australis* M.P.de Vos, 29  
*ensifformis* Mill., 17  
*ferrariola* (Jacq.) Willd., 25  
*fimbriata* *Burm.*, 39  
*flava* Goldblatt & J.C.Manning, 31  
*foliosa* G.J.Lewis, 18  
*framesii* L.Bolus, 33  
*glutinosa* (Baker) Rendle, 11  
*hirschibergii* L.Bolus, 16  
*kamiesbergensis* M.P.de Vos, 36  
*longa* Barnes, 25  
*macrochlamys* (Baker) Goldblatt & J.C.Manning, 34  
  subsp. *macrochlamys*, 35  
  subsp. *kamiesbergensis* (M.P.de Vos) Goldblatt & J.C.Manning, 36  
  subsp. *serpentina* Goldblatt & J.C.Manning, 37  
*major* Eckl., 17  
*obtusifolia* Sweet, 17  
*ornata* Goldblatt & J.C.Manning, 24  
*ovata* (Thunb.) Goldblatt & J.C.Manning, 20  
*parva* Goldblatt & J.C.Manning, 26  
*randii* (Rendle) Rendle, 11  
*schaeferi* Dinter, 19  
*spithamea* (Baker) Goldblatt & J.C.Manning, 15  
*uncinata* Sweet, 33  
  subsp. *macrochlamys* (Baker) M.P.de Vos, 34  
*undulata* L., 17  
*vandermerwei* L.Bolus, 17  
*variabilis* Goldblatt & J.C.Manning, 29  
*viridiflora* Andrews, 25  
*viscaria* Schinz, 11  
*welwitschii* Baker, 15
- Figueiredo, E., 294, 365  
 Figueiredo, E., Paiva, J., Stévant, T., Oliveira, F. & Smith, G.F. Annotated catalogue of the flowering plants of São Tomé and Príncipe, 41  
*Flora of southern Africa* (FSA), 188  
 floral biology, 1  
 floristic analysis, 351  
 flower morphology, 301  
 flowering plants catalogue, 41  
 Forest, F., 189  
 Franz Sebastian Müller (1913–2010), 365  
*Freesea mineatolateritia* Eckl., 108  
*Freesia juncifolia* (Baker) Klatt, 252  
 FSA, 188  
  contributions, 277  
  region, 295  
 Fucatae, series, sect. *Hyalis*, *Ixia* L., 101  
 Furcraea  
  *foetida* (L.) Haw., 197  
  *gigantea* Vent., 197  
*Gasteria croucheri* (Hook.f) Baker subsp. *pondoensis* N.R.Crouch, Gideon F.Sm. & D.G.A.Styles, 183  
 Gauteng Province, South Africa, 204, 295  
*Geissorhiza*  
  *latifolia* (D.Delaroche) Baker, 112  
  *pudica* (Sol. ex Ker Gawl.) Klatt, 274  
  *radians* (Thunb.) Goldblatt, 95  
 geoxylic suffrutex, 341  
 Germishuizen, G. A new species of *Rhynchosia* from the northern provinces of South Africa (Fabaceae), 319  
 Gibbaria  
  *bicolor* Cass., 187  
  *scabra* (Thunb.) Norlindh, 187  
 Glabripetala Engl. & Diels, sect., *Combretum* Loeft., 143  
*Gladiolus*  
  *alopecuroides* Pers., 259  
  *bracteolatus* Lam., 257  
  *diluvialis* Goldblatt & J.C.Manning, 324  
  *halophilus* [as '*halophila*'] Goldblatt & J.C.Manning, 324  
  *halophilus* Boiss. & Heldr., 324  
  *ixioides* Thunb., 100  
  *lineatus* Salisb., 131  
  *longiflorus* (P.J.Bergius) Jacq., 99  
  *punctatus* (Andrews) Roem. & Schult., 257  
  *rubens* Vahl, 259  
  *spicatus* L. 259  
  *subulatus* Vahl, 257  
  *iriticeus* Thunb., 257  
 Gnaphalieae, tribe, Asteraceae, 304, 324  
*Gnaphalium argyrocoma* Sch.Bip., 325  
 Goetghebeur, P., 300  
 Goldblatt, P., 171, 189, 239, 269, 283, 297, 304, 314, 324  
 Goldblatt, P. & Manning, J.C. Systematics and biology of the African genus *Ferraria* (Iridaceae: Irideae), 1  
 Goldblatt, P. & Manning, J.C. Systematics of the southern African genus *Ixia* (Iridaceae). 3. Sections *Hyalis* and *Morphixia*, 83

- Götze, A.R., 327  
 grassland, 351  
 guide for authors to *Bothalia*, 377  
 Harrower, A.D., 269  
*Helichrysum*  
   *aretiooides* Turcz., 325  
   *ericoides* (Lam.) Pers., 325  
 Herman, P.P.J. & Swelankomo, N. *Vernonia* (tribe  
   Vernonieae) and related genera in southern Africa:  
   updates and corrections (Asteraceae), 176  
 home gardens, 351  
*Houttuynia capensis* Houtt., 99  
 Hyacinthaceae, 297, 314  
*Hyalis* (Baker) Diels, sect., *Ixia* L., 83, 85, 92  
   *aulica* (Aiton) Salisb., 112  
   *latifolia* (D.Delaroche) Salisb., 112  
   *longiflora* (P.J.Bergius) Salisb., 99  
   *marginifolia* Salisb., 119  
   ser., sect. *Hyalis*, *Ixia* L., 93  
   subgen. *Hyalis* Salisb. ex Baker, 92  
 Hypocrateropsis Engl. & Diels, sect., Combretum Loefl.,  
   147  
 Iridaceae, 1, 83, 171, 239, 269, 283, 324  
 Irideae, tribe, Iridaceae, 1  
*Ixia* L.  
   *acaulis* Goldblatt & J.C.Manning (No. 7), 98  
   *alata* Goldblatt & J.C.Manning (No. 30), 121  
   *alba* Eckl., 105  
   *alba* L., 105  
   *aulica* Aiton, 112  
   *aurea* J.C.Manning & Goldblatt (No. 16), 107  
   *avellana* R.C.Foster, 106  
   *bellendenii* R.C.Foster (No. 4), 95  
   *bolusii* G.J.Lewis, 125  
   *brunneobracteata* G.J.Lewis (No. 26), 118  
   *capillaris* L.f. (No. 45), 131  
   var. *aulica* (Aiton) Ker Gawl., 112  
   var. *incarnata* (Jacq.) Ker Gawl., 112  
   var. *lancea* Ker Gawl., 119  
   var. *stricta* Ker Gawl., 119  
   ? *capitata* var. *stellata* Andrews, 111  
   *cedarmontana* Goldblatt & J.C.Manning (No. 34), 126  
   *cochlearis* G.J.Lewis (No. 9), 101  
   *conferta* R.C.Foster, 102  
   *contorta* Goldblatt & J.C.Manning (No. 44), 131  
   *dieramoides* Goldblatt & J.C.Manning (No. 47), 131  
   *divaricata* Goldblatt & J.C.Manning (No. 19), 110  
   *dolichosiphon* Goldblatt & J.C.Manning (No. 33), 126  
   *ecklonii* Goldblatt & J.C.Manning (No. 25), 118  
   *erecta* Thunb., 106  
     var. *lutea odorata* Ker Gawl., 106  
   *esterhuyseniae* M.P.de Vos (No. 15), 107  
   *exiliflora* Goldblatt & J.C.Manning (No. 46), 131  
   *flaccida* (G.J.Lewis) Goldblatt & J.C.Manning, 130  
   *flaccida* Salisb., 130  
   *flava* Lam., 275  
   *flavescens* Eckl., 106  
   *framesii* L.Bolus, 108  
   *fucata* Ker Gawl. (No. 10), 101  
     var. *filifolia* G.J.Lewis, 129  
   *gladiolaris* Lam., 131, 175  
   *incarnata* Jacq., 112  
   *lacerata* Goldblatt & J.C.Manning (No. 39), 130  
   *lancea* Jacq., 119  
   *lancea* Thunb., 119  
   *latifolia* D.Delaroche (No. 21), 112  
     var. *angustifolia* G.J.Lewis, 110  
     var. *curviramosa* G.J.Lewis, 112  
     var. *parviflora* G.J.Lewis, 116  
     var. *ramulosa* G.J.Lewis, 117  
   *leipoldtii* G.J.Lewis (No. 2), 93  
   *linderi* Goldblatt & J.C.Manning (No. 6), 97  
   *linearifolia* Goldblatt & J.C.Manning (No. 29), 121  
   *longiflora* Lam., 100  
   *longiflora* P.J.Bergius, 99  
   *longituba* N.E.Br. (No. 3), 94  
     subsp. *longituba* (No. 3a), 94  
     subsp. *macrosiphon* Goldblatt & J.C.Manning (No.  
       3b), 95  
     var. *bellendenii* (R.C.Foster) M.P.de Vos, 95  
   *marginifolia* Salisb. ex G.J.Lewis (No. 27), 119  
   *mollis* Goldblatt & J.C.Manning (No. 40), 130  
   *monticola* Goldblatt & J.C.Manning (No. 22), 115  
   *namaquana* L.Bolus (No. 41), 131  
   *neglecta* Schult., 276  
   *odorata* Ker Gawl. (No. 14), 106  
     var. *hesperanthoides* G.J.Lewis, 106  
   *orientalis* L.Bolus (No. 13), 104  
   *ovata* var. *stellata* (Andrews) Baker, 111  
   *oxalidiflora* Goldblatt & J.C.Manning (No. 42), 131  
   *paniculata* D.Delaroche (No. 8), 99  
     var. *rochensis* (Ker Gawl.) Baker, 95  
     var. *tenuiflora* (Vahl) Baker, 100  
   *parva* Goldblatt & J.C.Manning (No. 23), 116  
   *patens* Aiton, 130  
   *pauciflora* G.J.Lewis (No. 48), 131  
   *paucifolia* G.J.Lewis (No. 32), 125  
   *pavonia* Goldblatt & J.C.Manning (No. 28), 120  
   *phlogiflora* Delile, 112  
   *polystachya* var. *flavescens* (Eckl.) Baker, 106  
   *pudica* (Sol. ex Ker Gawl.) Roem. & Schult., 274  
   *pulcherrima* Eckl., 108  
   *pumilio* Goldblatt & Snijman (No. 1), 93  
   *punctata* Andrews, 257  
   *purpureorosea* G.J.Lewis (No. 18), 109  
   *ramulosa* (G.J.Lewis) Goldblatt & J.C.Manning (No.  
     24), 117  
   *rapunculoides* Delile (No. 36), 130  
     var. *namaquana* (L.Bolus) G.J.Lewis, 131  
     var. *rigida* G.J.Lewis, 111  
     var. *robusta* G.J.Lewis, 130  
     var. *suspendula* G.J.Lewis, 111  
   *reclinata* Goldblatt & J.C.Manning (No. 49), 131  
   *recondita* Goldblatt & J.C.Manning (No. 12), 103  
   *reflexa* Andr., 275  
   *reflexa* Thunb., 275  
   *rivulicola* Goldblatt & J.C.Manning (No. 38), 130  
   *robusta* (G.J.Lewis) Goldblatt & J.C.Manning (No. 37),  
     130  
   *rochensis* Ker Gawl., 95  
   *rochensis* (Ker Gawl.) L.Bolus, 95  
   *saundersiana* Goldblatt & J.C.Manning (No. 20), 111

- Ixia* L. (cont.)  
*scariosa* Thunb., 112  
 var. *longifolia* Baker, 105  
*schlechteri* Baker, 105  
 sect., 85  
*sobolifera* Goldblatt & J.C.Manning (No. 43), 131  
*speciosa* Andr., 276  
*spicata* (L.) Willd., 259  
*splendida* G.J.Lewis (No. 5), 97  
*stellata* (Andrews) Klatt, 111  
*stenophylla* Goldblatt & J.C.Manning (No. 35), 129  
*stohrii* L.Bolus (No. 11), 102  
*striata* Vahl, 131  
*tenuifolia* Vahl (No. 17), 108  
*tenuiflora* Vahl, 100  
*thomasi* Goldblatt (No. 31), 123  
*zeyheri* Baker, 252
- Jordaan, M., Van Wyk, A.E. & Maurin, O. A conspectus of *Combretum* (Combretaceae) in southern Africa, with taxonomic and nomenclatural notes on species and sections, 135
- Jordaan, M., Van Wyk, A.E. & Maurin, O. Generic status of *Quisqualis* (Combretaceae), with notes on the taxonomy and distribution of *Q. parviflora*, 161
- Joubert, L., 199
- key
- Ammocharis* spp., 311  
*Cacoucia* subgen. sections, 152  
*Combretum collinum* subsp., 149  
*Combretum* subgen., 136  
*Combretum*, subgen. sections, 137  
*Combretum* sect. *Angustimarginata* spp., 138  
*Combretum* sect. *Spathulipetala* spp., 141  
*Combretum* sect. *Ciliapetala* spp., 144  
*Combretum* sect. *Hypocrateropsis* spp., 148  
*Commicarpus* spp., 289  
*Eumorphia* spp., 277  
*Eumorphia sericea* subsp., 281  
*Ferraria* spp., 10  
*Ferraria macrochlamys* subsp., 35  
*Hyalis* sect. spp., 90  
*Ixia longituba* subsp., 94  
*Ixia* sections, 90  
*Morphixia* sect. spp., 91  
*South African Anticharis* spp., 303  
*Thereianthus* spp., 245  
*Xenoscapa* spp., 284
- Klaassen, E.S., 289
- Klak, C. New combinations in *Antinima* and *Octopoma* (Aizoaceae: Ruschioideae), 292
- Klenzea lycopodioides* Sch.Bip., 325
- Klopper, A.W. & Klopper, R.R. *Selaginella nivea*, a new lycophte record for South Africa, with notes on its habitat (Lycopodiophyta: Selaginellaceae), 321
- Klopper, R.R., 321
- Klopper, R.R. & Van Wyk, A.E. A new subspecies of *Cheilanthes deltoidea* from Gauteng and Limpopo, South Africa (Pteridophyta–Sinopteridaceae), 204
- Kochia brevifolia* R.Br., 236
- Koekemoer, M. The true identity of *Oxylaena acicularis* (Asteraceae), 187
- Koekemoer, M. *Bryomorpe* and *Dolichothrix* (Asteraceae: Gnaphalieae: Relhaniinae): taxonomy and nomenclature, 324
- Kolberg, H., 308
- Kwambonambi Hygrophilous Grassland, 341
- KwaZulu-Natal, South Africa, 201, 341
- Lachnospermum neglectum* Schltr. ex J.C.Manning & Goldblatt, 304
- Lamprecht, A.J.H., Cilliers, S.S., Götze, A.R. & Du Toit, M.J. Phytosociological description of norite koppies in the Rustenburg area, North-West Province and refinement of the distribution of the Norite Koppies Bushveld on the national vegetation classification map of South Africa, 327
- Lapeirousia*  
*fistulosa* (Spreng. ex Klatt) Baker, 286  
*juncifolia* (Baker) N.E.Br., 252  
*macrochlamys* Baker, 34  
 lectotypification, 135
- Lesotho, 209
- Limpopo, South Africa, 204
- list of Lesotho medicinal plants, 209
- liverworts, 185
- Lubbe, C.S., Siebert, S.J. & Cilliers, S.S. Floristic analysis of domestic gardens in the Tlokwe City Municipality, South Africa, 351
- Lycopodiophyta, 321
- Macrostigmata Engl. & Diels, sect., *Combretum* Loeft., 142
- magic, 209
- Maireana brevifolia* (R.Br.) Paul G.Wilson, 235, 236
- Mannheimer, C., 231
- Manning, J.C., 1, 83
- Manning, J.C. & Goldblatt, P. *Tritonia cedarumontana* and *T. linearifolia* (Crocoideae), two new species from the Cape Floristic Region; *T. lineata* var. *parvifolia* included in *T. gladiolaris*; and the correct author citation for *T. strictifolia* (Iridaceae), 171
- Manning, J.C. & Goldblatt, P. Taxonomic revision of the genus *Thereianthus* (Iridaceae: Crocoideae), 239
- Manning, J.C. & Goldblatt, P. Review of the genus *Xenoscapa* (Iridaceae: Crocoideae), including *X. grandiflora*, a new species from southern Namibia, 283
- Manning, J.C. & Goldblatt, P. *Ornithogalum lebaense* transferred to *Albuca* (Hyacinthaceae), 297
- Manning, J.C. & Goldblatt, P. *Lachnospermum neglectum* (Asteraceae: Asteroideae: Gnaphalieae), a new and overlooked species from the Worcester Valley, Western Cape, 304
- Manning, J.C. & Goldblatt, P. *Albuca gariensis* (Hyacinthaceae: Ornithogaloideae), a new species of *A.* subgen. *Namibiogalum* from Gordonia, South Africa, and *A. prasina* transferred to *Ornithogalum*, 314
- Manning, J.C. & Goldblatt, P. *Gladiolus diluvialis* (Iridaceae: Crocoideae), a replacement name for the illegitimate homonym *G. halophilus*, 324
- Manning, J.C., Goldblatt, P. & Forest, F. *Adenogramma natans*, a remarkable new aquatic species from Western Cape, South Africa (Molluginaceae), 189



- Manning, J.C., Goldblatt, P. & Harrower, A.D. *Romulea pilosa* and *R. quartzicola* (Iridaceae: Crocoideae), two new species from the southern African winter rainfall region, with nomenclatural corrections including new names for *R. amoena*, *R. neglecta* and *R. rosea* var. *reflexa*, 269
- Marchantiophyta, 185
- Mariscus* Vahl., 300
- aristatus* (Rottb.) Cherm. var. *atriceps* (Kük.) Podlech, 300
- capensis* sensu Schönland, 301
- dregeanus* Kunth, 300
- var. *buchananii* C.B.Clarke, 300
- dubius*, 300
- indecorus* (Kunth) Podlech
- var. *decurvatus* (C.B.Clarke) Podlech, 300
- var. *dinteri* (Kük.) Podlech, 300
- marlothii* (Boeck.) C.B.Clarke var. *globospica* C.B. Clarke, 301
- marlothii* sensu C.B.Clarke, 301
- rehmannianus* C.B.Clarke, 300
- uitenlhagensis* Steud., 301
- vestitus* (Hochst.) C.B.Clarke var. ? *decurvata* C.B. Clarke, 300
- Marsileaceae, Pteridophyta, 201
- materia medica*, 209
- Maurin, O., 135, 161
- medicine, 209
- Megalantherum *Exell*, sect., *Combretum Loeffl.*, 155
- Mesembryanthemum*
- paripetalum* L.Bolus, 293
- reductum* N.E.Br., 293
- Metallicum* *Exell*, sect., *Combretum Loeffl.*, 149
- Metathelypteris burrowsiorum* N.R.Crouch, 193
- Micranthus* (Pers.) Eckl., 245
- spicatus* (L.) Heynh., 259
- triticeus* (Thunb.) Heynh., 257
- micromorphology, 311
- Molluginaceae, 189
- Monandrus atriceps* (Kük.) Vorster, 300
- Montbretia*
- capensis* (Houtt.) Voigt, 99
- concolor* (Sweet) Voigt, 100
- lineata* (Salisb.) Baker, 131
- rocheana* (Ker Gawl.) Heynh., 95
- strictifolia* Klatt, 175
- tenuiflora* (Ker Gawl.) Voigt, 100
- Moraea
- ?*andongensis* Baker, 14
- aurantiaca* Baker, 15, 16
- candelabrum* Baker, 14
- ferrariola* Jacq., 25
- glutinosa* Baker, 11
- kitambensis* Baker, 14
- ?*malangensis* Baker, 11
- ovata* Thunb., 20
- randii* Rendle, 11
- spithamea* Baker, 15
- undulata* (L.) Thunb., 17
- ?*viscosa* R.C.Foster, 15
- Morphixia* (Ker Gawl.) Diels, sect., *Ixia L.*, 109
- Morphixia* (Ker Gawl.) Pax, sect., *Ixia L.*, 83, 85, 109
- Morphixia* ser., sect. *Morphixia*, *Ixia L.*, 110
- Morphixia*
- aulica* (Aiton) Ker Gawl., 112
- capillaris* (L.f) Ker Gawl., 131
- var. *incarnata* (Jacq.) Baker, 112
- var. *lancea* (Ker Gawl.) Baker, 119
- incarnata* (Jacq.) Ker Gawl., 112
- juncifolia* Baker, 252
- lancea* (Ker Gawl.) Klatt, 119
- odorata* (Ker Gawl.) Baker, 106
- paniculata* (D.Delaroche) Baker, 99
- var. *rochensis* (Ker Gawl.) Baker, 95
- var. *tenuiflora* (Vahl) Baker, 100
- morphology, 83
- Moteteetee, A. & Van Wyk, B-E. The medical ethnobotany of Lesotho: a review, 209
- Mpumalanga Province, South Africa, 295
- Mucina, L. & Snijman, D.A. *Maireana brevifolia* (Chenopodiaceae: Camphorosmeae), a new naturalized alien plant species in South Africa, 235
- Namibia, 289, 308
- southern, 283
- native plants, 351
- neotype, 199
- new
- combination, 11, 15, 36, 161, 168, 275, 292, 293, 297, 300, 301
- name, 116, 129, 130, 168, 247, 269, 276, 300, 324
- naturalized species, 235
- records, 181, 185, 188, 289, 294, 295, 301, 321
- section, 246
- series, 254
- species, 1, 24, 26, 31, 83, 97, 103, 111, 115, 118, 120, 121, 126, 171, 173, 178, 179, 191, 193, 201, 231, 239, 254, 263, 269, 272, 283, 284, 298, 304, 308, 315, 319
- status, 36, 117, 129, 147, 247, 275, 300
- synonym, 112, 274, 275, 325
- nom. nov., 116, 129, 130, 168, 247, 269, 276, 300, 324
- nomenclature, 135, 269, 324
- Nordenstam, B., 231
- Norite Koppies Bushveld, 327
- Nyctaginaceae, 289
- obituary: Franz Sebastian Müller (1913–2010), 365
- Octopoma*
- nanum* (L.Bolus) Klak, 293
- tanquam* Klak, 293
- Oliveira, F., 41
- Orbea* (N.E.Br.) L.C.Leach, 295
- cooperi (N.E.Br.) L.C.Leach, 295
- Ornithogaloideae, subfam., Hyacinthaceae, 314
- Ornithogalum
- lebaense* Van Jaarsv., 297
- prasinum* Ker Gawl., 318
- Ornithoglossum *Salisb.*, 231
- pulchrum* Snijman, B.Nord. & Mannheim, 231
- Osteospermum scabrum* Thunb., 187
- Ovieda fistulosa* Spreng. ex Klatt, 286
- Oxylaena acicularis* (Benth.) Anderb., 187
- Oxystachya* *Exell*, sect., *Combretum Loeffl.*, 155

- Paiva, J., 41  
 Paucifoliaeae, series, sect. *Morphixia*, *Ixia* L., 125  
*Paulomagnusia* Kuntze, 245  
*spicata* (L.) Kuntze, 259  
*Pellaea deltoidea* (Kunze) Baker, 206  
 Periplocoideae, subfam., Apocynaceae, 199  
 Perold, S.M., 185  
 Phephu, N., 185  
 phylogeny, 135, 161  
 phytosociology, 327  
 pillwort, 201  
*Pilularia dracomontana* N.R.Crouch & J.Wesley-Smith, 201  
*Plumbea* Jordaan, A.E.van Wyk & O.Maurin, sect., *Combretum* Loeffl., 152  
*Poirrea* (Comm. ex DC.) G.Don, sect., *Combretum* Loeffl., 153, 161  
*bracteosa* Hochst., 153  
*mossambicensis* Klotzsch, 153  
 pollen, 239  
 pollination, 83, 161  
 Pondoland, 183  
 Potchefstroom, North-West Province, South Africa, 351  
 Príncipe, 41  
*Prototulbaghia siebertii* Vosa, 311  
 Pteridophyta, 181, 193, 201, 204  
*Pycneus rehmannianus* C.B.Clarke, 300  
*Quisqualis* L., 161  
*natalensis* Gerrard ex Engl. & Diels, 168  
*parviflora* Sond., 168  
*Rapunculooides*, ser., sect. *Morphixia*, *Ixia* L., 130  
 Relhaniinae, subtribe, Asteraceae, 324  
*Rhynchosia coddii* Germish., 319  
 Richards Bay, KwaZulu-Natal, South Africa, 341  
*Romulea Maratti*, 269  
*amoena* Schltr. ex Bég., 274  
*cruciata* var. *australis* Ewart, 275  
*flava* (Lam.) M.P.de Vos, 275  
*mutirii* N.E.Br., 275  
*neglecta* Jord. & Fourr., 276  
*neglecta* M.P.de Vos, 276  
*oliveri* M.P.de Vos, 276  
*parviflora* Eckl., 275  
*pilosa* J.C.Manning & Goldblatt, 269  
*pudica* (Sol. ex Ker Gawl.) Baker, 274  
*quartzicola* J.C.Manning & Goldblatt, 272  
*reflexa* Eckl., 275  
*rosea*  
 var. *australis* (Ewart) M.P.de Vos, 275  
 var. *mutirii* (N.E.Br.) J.C.Manning & Goldblatt, 275  
 var. *pudica* (Sol. ex Ker Gawl.) Baker, 274  
 var. *reflexa* (Eckl.) Bég., 275  
 var. *reflexa* sensu Bég., 275  
*speciosa* (Ker Gawl.) Baker, 276  
*Ruschia*  
*crassifolia* L.Bolus, 293  
*hexamera* L.Bolus var. *longipetala* L.Bolus, 293  
*nana* L.Bolus, 293  
*paripetala* (L.Bolus) L.Bolus, 293  
 Ruschioideae, subfam., Aizoaceae, 292  
 Rustenburg, South Africa, 327  
 São Tomé, 41  
 Schutte-Vlok, A.L. A new species of *Xiphotheca* from the Western Cape, South Africa (Fabaceae), 298  
 Scrophulariaceae, 301  
 sect.  
*Angustimarginata* Engl. & Diels, sect., *Combretum* Loeffl., 137  
*Brevibracteae* Goldblatt & J.C.Manning, *Thereianthus* G.J.Lewis, 246  
*Breviramea* Engl. & Diels, *Combretum* Loeffl., 151  
*Campestria* Engl. & Diels, *Combretum* Loeffl., 151  
*Ciliatipetala* Engl. & Diels, *Combretum* Loeffl., 143  
*Conniventia* Engl. & Diels, *Combretum* Loeffl., 153  
*Dichone* (Salisb. ex Baker) Goldblatt & J.C.Manning, *Ixia* L., 85  
*Elaeagnoides* Engl. & Diels, *Combretum* Loeffl., 151  
*Ferraria*, 17  
*Glabripetala* Engl. & Diels, *Combretum* Loeffl., 143  
*Glutinosae* M.P.de Vos, *Ferraria* Burm. ex Mill., 11  
*Hyalis*, (Baker) Diels, *Ixia* L., 85, 92  
*Hypocrateropsis* Engl. & Diels, *Combretum* Loeffl., 147  
*Ixia*, 85  
*Macroscyphae* Baker, *Ferraria* Burm. ex Mill., 25  
*Macrostigmaea* Engl. & Diels, *Combretum* Loeffl., 142  
*Megalantherum* Exell, *Combretum* Loeffl., 155  
*Metallicum* Exell, *Combretum* Loeffl., 149  
*Morphixia* (Ker Gawl.) Pax, *Ixia* L., 85, 109  
*Morphixia* (Ker Gawl.) Diels, *Ixia* L., 109  
 nov., 246  
*Oxystachya* Exell, *Combretum* Loeffl., 155  
*Plumbea* Jordaan, A.E.van Wyk & O.Maurin, *Combretum* Loeffl., 152  
*Poirrea* (Comm. ex DC.) G.Don, *Combretum* Loeffl., 153, 161  
*Spathulipetala* Engl. & Diels, *Combretum* Loeffl., 141  
*Thereianthus*, 254  
*Xenoscapa* Goldblatt, *Anomatheca*, Iridaceae, 284  
 sections, 135  
*Selaginella nivea* Alston ex Alston, 321  
 Selaginellaceae, 321  
 semi-arid South Africa, 235  
 ser.  
*Angustisiphon*, sect. *Hyalis*, *Ixia* L., 104  
*Bracteolatus* J.C.Manning & Goldblatt, 254  
*Brevitubae*, sect. *Morphixia*, *Ixia* L., 119  
*Capillares*, sect. *Morphixia*, *Ixia* L., 131  
*Fucatae*, sect. *Hyalis*, *Ixia* L., 101  
*Hyalis*, sect. *Hyalis*, *Ixia* L., 93  
*Macroscyphae*, *Ferraria* Burm. ex Mill., 27  
*Morphixia*, sect. *Morphixia*, *Ixia* L., 110  
 nov., 254  
 Paucifoliaeae, sect. *Morphixia*, *Ixia* L., 125  
*Rapunculooides*, sect. *Morphixia*, *Ixia* L., 130  
*Subdivaricatae*, *Ferraria* Burm. ex Mill., 25  
*Thereianthus*, 259  
*Uncinatae*, *Ferraria* Burm. ex Mill., 33  
 Siebert, F., 341  
 Siebert, S.J., 289, 311, 351  
 Siebert, S.J., Siebert, F. & Du Toit, M.J. The extended occurrence of Maputland Woody Grassland further south in KwaZulu-Natal, South Africa, 341

- Sinopteridaceae, Pteridophyta, 204  
 Smith, G.F., 41, 183, 196, 294  
 Smith, G.F. Tribute to Gerrit Germishuizen, editor of *Bothalia*, 229  
 Smith, G.F. Tribute to Beverley Momborg, technical editor in the publications section of the South African National Biodiversity Institute, 363  
 Smith, G.F. & Figueiredo, E. Obituary: Franz Sebastian Müller (1913–2010), 365  
 Snijman, D.A., 235  
 Snijman, D.A. & Kolberg, H. *Anmocharis deserticola* (Amaryllidaceae: Amaryllideae), a new species from Namibia and a key to species of the genus, 308  
 Snijman, D.A., Nordenstam, B. & Mannheimer, C. *Ornithoglossum pulchrum* (Colchicaceae: Colchiceae), a new species from southern Namibia, 231  
 South Africa, 178, 183, 185, 189, 196, 201, 204, 235, 298, 301, 314, 319, 321, 327, 341, 351  
   semi-arid, 235  
   southern  
     Africa, 1, 83, 135, 161, 176, 193, 199, 239, 269, 277, 283, 289, 300  
     Namibia, 231, 283, 308  
 sp. nov., 1, 24, 26, 31, 83, 97, 103, 111, 115, 118, 120, 121, 126, 171, 173, 178, 179, 191, 193, 201, 231, 239, 254, 263, 269, 272, 283, 284, 298, 304, 308, 315, 319  
*Sparaxis bulbifera* (L.) Ker Gawl., 105  
*Spathulipetala* Engl. & Diels, sect., Combretum Loeft., 141  
 staff publications, 369  
 stat. nov., 36, 117, 129, 147, 247, 275, 300  
 Steenkamp, Y. Compiler. South African National Biodiversity Institute: publications, 1 January 2010 to 31 December 2010, 369  
 Stévant, T., 41  
 Steyn, H.M. *Anticharis juncea*, an overlooked record for South Africa, with notes on its type localities and flower morphology (Scrophulariaceae), 301  
*Stoebe nivea* Thunb., 325  
 Struwig, M., Siebert, S.J. & Klaassen, E.S. Notes on *Commicarpus* in southern Africa, including a new record for Namibia (Nyctaginaceae), 289  
 Styles, D.G.A., 183  
 subfam.  
   Alooideae, Asphodelaceae, 183  
   Asclepiadoideae, Apocynaceae, 295  
   Asteroideae, Asteraceae, 277, 304  
   Crocoideae, Iridaceae, 171, 239, 283, 324  
   Ornithogaloideae, Hyacinthaceae, 314  
   Periplocoideae, Apocynaceae, 199  
   Ruschioideae, Aizoaceae, 292  
 subgen., 11  
*Beilia* Eckl. ex Baker, Watsonia, 245  
*Cacoucia* (Aubl.) Exell & Stace, Combretum Loeft., 152  
 Combretum, Combretum Loeft., 137  
 Ferraria, 17  
 Glutinosae (M.P.de Vos) Goldblatt & J.C.Manning, Ferraria Burm. ex Mill., 11  
*Hyalis* Salisb. ex Baker, Ixia L., 92  
*Morphixia* (Ker Gawl.) Goldblatt & J.C.Manning, Ixia L., 109  
*Namibiogalum* (U.Müll.-Doblies & D.Müll.-Doblies) J.C.Manning & Goldblatt, 315  
 nov., 11  
 subsp. nov., 37, 95, 183, 204  
 subtribe Relhaniinae, Asteraceae, 324  
 Swaziland, 181, 193  
 Swelankomo, N., 176  
 Swelankomo, N. *FSA* contributions 19: Asteraceae: Anthemideae: *Eumorphia*, 277  
 syn. nov., 112, 274, 275, 325  
 taxonomy, 1, 83, 135, 161, 171, 176, 178, 183, 187, 189, 193, 199, 201, 204, 231, 239, 269, 277, 283, 289, 292, 294, 297, 298, 300, 304, 308, 311, 314, 319, 324  
*Terminalia erythrophylla* Burch., 139  
 Thelypteridaceae, Pteridophyta, 193  
 Thereianthus G.J.Lewis, 239, 245  
   bracteolatus (Lam.) G.J.Lewis, 257  
   bulbiferus Goldblatt & J.C.Manning, 254  
   elandsmontanus Goldblatt & J.C.Manning, 263  
   intermedius J.C.Manning & Goldblatt, 247  
   ixioides G.J.Lewis, 261  
   juncifolius (Baker) G.J.Lewis, 252  
   lapeyrousioides (Baker) G.J.Lewis, 250  
     var. *elatior* G.J.Lewis, 247  
   longicollis (Schltr.) G.J.Lewis, 264  
   minutus (Klatt) G.J.Lewis, 250  
   montanus J.C.Manning & Goldblatt, 249  
   racemosus (Klatt) G.J.Lewis, 246  
   sect., 254  
   ser., 259  
   spicatus (L.) G.J.Lewis, 259  
     var. *linearifolius* G.J.Lewis, 259  
 Tlokwe City Municipality, North-West Province, South Africa, 351  
 traditional healers, 209  
 tribe  
   Amaryllideae, Amaryllidaceae, 308  
   Anthemideae, subfam. Asteroideae, Asteraceae, 277  
   Camphorosmeae, Chenopodiaceae, 235  
   Ceropegieae, Asclepiadoideae, Apocynaceae, 295  
   Colchiceae, Colchicaceae, 231  
   Cryptolepideae, Apocynaceae, 199  
   Gnaphalieae, Asteraceae, 304, 324  
   Vernonieae, Asteraceae, 176  
*Trichonema*  
   *parviflorum* (Eckl.) Steud., 275  
   *pudicum* Sol. ex Ker Gawl., 274  
   *speciosum* Ker Gawl., 276  
 Tritonia  
   *capensis* (Houtt.) Ker Gawl., 99  
   *cedarmontana* Goldblatt & J.C.Manning, 171  
   *concolor* Sweet, 100  
   *gladiolaris* (Lam.) Goldblatt & J.C.Manning, 131, 175  
   *latifolia* (D.Delaroche) N.E.Br., 112  
   *laxifolia* var. *strictifolia* (Klatt) Baker, 175  
   *linearifolia* Goldblatt & J.C.Manning, 173  
   *lineata* (Salisb.) Ker Gawl., 131  
     var. *parvifolia* M.P.de Vos, 175  
   *longiflora* (P.J.Bergius) Ker Gawl., 99  
   *paniculata* (D.Delaroche) Klatt, 99



## Tritonia (cont.)

*rocheana* Sweet, 95*rochensis* Ker Gawl., 95*strictifolia* (Klatt) Benth. & Hook.f., 131, 175*strictifolia* (Klatt) Benth. & Hook.f. ex B.D.Jacks., 175*tenuiflora* (Vahl) Ker Gawl., 100

## Tritonixia

*conferta* Klatt, 102*lineata* (Salisb.) Klatt, 131

## tropical Africa, 1

updates and corrections in *Vernonia Schreb.*, 176

## urban ecology, 351

Van Rooy, J. New and interesting records of mosses in the *Flora of southern Africa* area: 5. New provincial records (Bryophyta), 188

Van Rooy, J., Phephu, N. &amp; Perold, S.M. New liverwort distribution records in South Africa (Marchantiophyta), 185

Van Wyk, A.E., 135, 161, 204, 311

Van Wyk, B-E., 209

## vegetation

map, 327

mapping, 341

vernacular names of medicinal plants in Sesotho, 209

*Vernonia Schreb.*, 176

Vernonieae, tribe, Asteraceae, 176

Vitaceae, 294

*Vitis congesta* Baker in Oliv., 294Vosa, C.G., Siebert, S.J. & Van Wyk, A.E. Micromorphology and cytology of *Prototulbaghia siebertii*, with notes on its taxonomic significance (Alliaceae), 311

Wahlenbergia Schrad. ex Roth, 178

*suffruticosa* Cupido, 179

## Waitzia

*capensis* (Houtt.) Reichb., 99*concolor* (Sweet) Heynh., 100*rochensis* (Ker Gawl.) Heynh., 95*tenuiflora* (Ker Gawl.) Heynh., 100

## Watsonia

*filifolia* E.Mey., 261*juncifolia* (Baker) Baker, 252*lapeyrousioides* Baker, 250*longicollis* Schltr., 264*minuta* Klatt, 250*punctata* (Andrews) Ker Gawl., 257var. *filifolia* E.Mey. ex Baker, 261var. *longicollis* Baker, 264var. *triticea* (Thunb.) Baker, 257*racemosa* Klatt, 246*rubens* (Vahl) Ker Gawl., 259subgen. *Beilia* Eckl. ex Baker, 245*subulata* Klatt, 257*triticea* (Thunb.) Spreng., 257unranked *Beilia* Eckl. ex Baker, 245

Wesley-Smith, J., 201

Western Cape, 178, 189, 298, 304

## winter rainfall

southern Africa, 1

zone, 83

Worcester Valley, Western Cape, South Africa, 304

*Xenoscapa* (Goldblatt) Goldblatt & J.C.Manning, 283, 284*fistulosa* (Spreng. ex Klatt) Goldblatt & J.C.Manning, 286*grandiflora* Goldblatt & J.C.Manning, 284*uliginosa* Goldblatt & J.C.Manning, 285*Xeranthemum ericoides* Lam., 325*Xerothamnus ecklonianus* DC., 187*Xiphothea rosmarinifolia* A.L.Schutte, 298







